

bold table structure


design Giulio lacchetti



STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour

6344



GROSS WEIGHT:

kg 9

ACCESSORIES:

A4649

Sistema di fissaggio a
terra/Fixing kit system

A4461

Sistema di fissaggio a
terra/Fixing kit system

A4601

Kit sabbia essiccata/
Dried sand kit

bold table structure light

design Giulio Iacchetti




STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour

8344



U1



GROSS WEIGHT:

kg 8,9

KIT LUCE/LIGHT KIT

DETAILS:

**Necessita di 1 Kit Luce/
Needs 1 Light Kit**

- A4922** Kit luce senza lampadina indoor/*Indoor light kit without bulb*
A4923 Kit luce senza lampadina outdoor/*Outdoor light kit without bulb*
A4744 Kit LED RGB a batteria per interni-esterni bluetooth/
Bluetooth RGB LED light kit with battery indoor-outdoor

ACCESSORIES:

A4649
Sistema di fissaggio a
terra/*Fixing kit system*


bold table structure top

PIANO/TOP

HPL
colore base/basic colour

DIMENSIONS:

GROSS WEIGHT:



A4926



Cm 59x1 h

Kg 6,7

A4925



Cm 59x1 h

Kg 6,7

TESTS

Declaration of conformity issued by **CATAS**

Conforms to the requirements of resistance, durability
and safety, 2nd level EN 15372:2008

Tests carried out as per:

- EN 15372:2008, clause 5
- EN 1730:2000, clause 6.2
- EN 1730:2000, clause 6.3
- EN 1730:2000, clause 6.4
- EN 1730:2000, clause 6.6
- EN 1730:2000, clause 6.7
- EN 15372:2008, clause 7