

boom armchair

design Marco Gregori





STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour

6474



6482 DECOR



GROSS WEIGHT:

kg 20

ACCESSORIES:

A4601

Kit sabbia essicata/
Dried sand kit

TESTS

ART. 6474 - 8474

Declaration of conformity issued by



Conforms to the requirements of resistance,
durability and safety, 1st level EN 16139:2013

Tests carried out as per:

EN 16139:2013+AC:2013

EN 1728:2012+AC:2013

EN 1022:2005

EN 1022:2018

ART. 6474 - 8474 - 6482

Conforms to the mechanical and structural safety
requirements of ANSI BIFMA X5.4-2020

Tests carried out as per:

ANSI-BIFMA X5.4-2020/21

ANSI-BIFMA X5.4-2020/6

ANSI-BIFMA X5.4-2020/8

ANSI-BIFMA X5.4-2020/17

ANSI-BIFMA X5.4-2020/7

ANSI-BIFMA X5.4-2020/14

ANSI-BIFMA X5.4-2020/5

ANSI-BIFMA X5.4-2020/15

ANSI-BIFMA X5.4-2020/9

ANSI-BIFMA X5.4-2020/10

ANSI-BIFMA X5.4-2020/13


boom armchair light

design Marco Gregori



STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour



8474



GROSS WEIGHT:

kg 20

6482 DECOR



DETAILS:

Necessita di 1 Kit Luce/
Needs 1 Light Kit

TESTS

ART. 6474 - 8474

Declaration of conformity issued by



Conforms to the requirements of resistance,
durability and safety, 1st level EN 16139:2013

Tests carried out as per:

EN 16139:2013+AC:2013
EN 1728:2012+AC:2013
EN 1022:2005
EN 1022:2018

KIT LUCE/LIGHT KIT

- A4922 Kit luce senza lampadina indoor/
Indoor light kit without bulb
- A4923 Kit luce senza lampadina outdoor/
Outdoor light kit without bulb
- A4744 Kit LED RGB a batteria per interni-esterni bluetooth/
Bluetooth RGB LED light kit with battery indoor-outdoor

ART. 6474 - 8474 - 6482

Conforms to the mechanical and structural safety
requirements of ANSI BIFMA X5.4-2020

Tests carried out as per:

ANSI-BIFMA X5.4-2020/21
ANSI-BIFMA X5.4-2020/6
ANSI-BIFMA X5.4-2020/8
ANSI-BIFMA X5.4-2020/17
ANSI-BIFMA X5.4-2020/7
ANSI-BIFMA X5.4-2020/14
ANSI-BIFMA X5.4-2020/5
ANSI-BIFMA X5.4-2020/15
ANSI-BIFMA X5.4-2020/9
ANSI-BIFMA X5.4-2020/10
ANSI-BIFMA X5.4-2020/13