

frozen table

design Matteo Ragni +
Maurizio Prina




ESTRUCTURA



PE - Polietileno
color básico

6310



C2 M9 N2 N4



16 34 87

PESO BRUTO:

kg 8,7

COMPLEMENTOS:

A4461


Sistema de fijación en el
suelo

A4601

Kit de arena seca


frozen table light

design Matteo Ragni +
Maurizio Prina



ESTRUCTURA

PE - Polietileno
color básico



8310



98

PESO BRUTO:

kg 8,7

KIT LUZ

A4364 - Kit led RGB a batteria con spina/
RGB led light kit with battery and plug



detalles

Kit LED RGB de batería powered by Smart&Green
Autonomía 6 horas aprox, a la máxima intensidad

Luz: blanca, de color, a rotación

Mando a distancia

Base recarga con enchufe europeo bipolar

LUZ



frozen table parte superior

PESO BRUTO:


A4463 kg 4,9
 A4464 kg 4,6
 A4490 kg 6,2
 A4491 kg 6
 A4468 kg 6
 A4469 kg 5,7
 A4488 kg 7,8
 A4489 kg 7,4
 A4625 kg 13,2
 A4626 kg 12,4
 A4470 kg 20
 A4471 kg 18,7
 A4604-A4605 kg 5,2
 A4606-A4607 kg 6

DETALLES:


Necesita dos estructuras para el parte superior

A4625
 A4626
 A4470
 A4471


PARTE SUPERIOR




60




70




60



70



120



180

HPL

color básico



WERZALIT

color básico



TESTS

Declaration of conformity issued by **CATAS** with the 180x60 cm top

Conforms to the requirements of resistance, durability and safety, 2nd level EN 15372:2016

Tests carried out as per:

EN 15372:2016, clause 6
 EN 15372:2016, clause 5.1 - 5.2
 EN 1730:2012, clause 6.2
 EN 1730:2012, clause 6.3
 EN 1730:2012, clause 6.4.2
 EN 1730:2012, clause 6.5
 EN 1730:2012, clause 6.6
 EN 1730:2012, clause 7.2

The declaration of conformity and related tests refer only to full-body coloured articles.

Attention to ensure stability under a vertical pressure, the part must be stabilized according to point 7.2 of EN 1730:2012.

To do this, inert material (es. dried sand) must be poured into the hole at the bottom of the base. The amount of the material will vary according to the article:

art. A4468/A4469 60x60 cm - kg 12
 art. A4625/A4626 120x60 cm - kg 24
 art. A4470/A46471 180x60 cm - kg 24

Finally, close the hole by screwing the threaded cap back on.