


frozen table structure

design Matteo Ragni +
Maurizio Prina





STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour



6310



GROSS WEIGHT:

kg 8,7

ACCESSORIES:

A4461


Sistema di fissaggio a
terra/Fixing kit system

A4601


Kit sabbia essiccata/
Dried sand kit

frozen table structure light

design Matteo Ragni +
Maurizio Prina



STRUTTURA/STRUCTURE PE - Polietilene/Polyethylene
colore base/basic colour



8310



98

KIT LUCE/LIGHT KIT

GROSS WEIGHT:

kg 8,7

A4744 kit LED RGB a batteria per interni/esterni bluetooth
bluetooth RGB LED light kit with battery indoor/outdoor

DETAILS:

Necessita di 1 Kit Luce/
Needs 1 Light Kit

frozen table structure top

DETAILS:

Necessita di due
strutture per il piano/
Needs two structures for
the top
A4625
A4626
A4471

































PIANO/TOP

HPL

colore base/basic colour

DIMENSIONS:

GROSS WEIGHT:

| PIANO/TOP | HPL colore base/basic colour | DIMENSIONS: | GROSS WEIGHT: |
|--|--|-----------------|---------------|
|  60 | A4463    | Cm 59x1 h | Kg 4,9 |
| | A4464    | Cm 59x1 h | Kg 4,6 |
|  70 | A4490    | Cm 69x1 h | Kg 6,2 |
| | A4491    | Cm 69x1 h | Kg 6 |
|  70 | A4488    | Cm 69x69x1 h | Kg 7,8 |
| | A4489    | Cm 69x69x1 h | Kg 7,4 |
|  120 | A4625    | Cm 120x60x1 h | Kg 13,2 |
| | A4626    | Cm 120x60x1 h | Kg 12,4 |
|  180 | A4471    | Cm 180x59x1,2 h | Kg 18,7 |

TESTS (ART. 6310)

Declaration of conformity issued by
with the 180x60 cm top



Conforms to the requirements of resistance,
durability and safety, 2nd level EN 15372:2016

Tests carried out as per:

EN 15372:2016, clause 6
EN 15372:2016, clause 5.1 - 5.2
EN 1730:2012, clause 6.2
EN 1730:2012, clause 6.3
EN 1730:2012, clause 6.4.2
EN 1730:2012, clause 6.5
EN 1730:2012, clause 6.6
EN 1730:2012, clause 7.2

Attention to ensure stability under a vertical
pressure, the part must be stabilized according
to point 7.2 of EN 1730:2012.

To do this, inert material (es. dried sand)
must be poured into the hole at the bottom of
the base. The amount of the material will vary
according to the article:

art. A4625/A4626 120x60 cm - kg 24
art. A4471 180x60 cm - kg 24

Finally, close the hole by screwing the threaded
cap back on.