

frozen table structure



design Matteo Ragni +
Maurizio Prina



ESTRUCTURA

PE - Polietileno
color básico

6310



PESO BRUTO:

kg 8,7

COMPLEMENTOS:

A4461


Sistema de fijación en el
suelo

A4601

Kit de arena seca


frozen table structure light

design Matteo Ragni +
Maurizio Prina



ESTRUCTURA

PE - Polietileno
color básico



8310



98

PESO BRUTO:

kg 8,7

DETALLES:

Necesaria 1 Kit de
iluminación

KIT LUZ

A4922 Kit de iluminación sin bombilla interior

A4923 Kit de iluminación sin bombilla exterior

A4744 Kit LED RGB con batería para Bluetooth de interior y exterior

frozen table structure parte superior

DETALLES:


























Necesita dos estructuras para el parte superior
A4935

PARTE SUPERIOR

HPL color básico

DIMENSIONES:

PESO BRUTO:

PARTE SUPERIOR	HPL color básico	DIMENSIONES:	PESO BRUTO:
 60	A4926   	Cm 59x1 h	Kg 6,7
	A4925   	Cm 59x1 h	Kg 6,7
 70	A4927   	Cm 69x1 h	Kg 8,2
	A4928   	Cm 69x1 h	Kg 8,2
 70	A4930   	Cm 69x69x1 h	Kg 9,7
	A4929   	Cm 69x69x1 h	Kg 9,7
 120	A4935   	Cm 120x60x1 h	Kg 12,5

TESTS (ART. 6310)

Declaration of conformity issued by



Conforms to the requirements of resistance, durability and safety, 2nd level EN 15372:2016

Tests carried out as per:

EN 15372:2016, clause 6
EN 15372:2016, clause 5.1-5.2
EN 1730:2012, clause 6.2
EN 1730:2012, clause 6.3
EN 1730:2012, clause 6.4.2
EN 1730:2012, clause 6.5
EN 1730:2012, clause 6.6
EN 1730:2012, clause 7.2

Attention to ensure stability under a vertical pressure, the part must be stabilized according to point 7.2 of EN 1730:2012.

To do this, inert material (es. dried sand) must be poured into the hole at the bottom of the base. The amount of the material will vary according to the article:

art. A4930/A4929 70x70 cm - kg 20

art. A4935 120x60 cm - kg 12 + kg 12 = kg 24

Finally, close the hole by screwing the threaded cap back on.