

fura dining table structure

design Form Us With Love



STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour

6420



GROSS WEIGHT:

kg 5,6

ACCESSORIES:

A4461

Kit fissaggio a terra/
Ground fixing kit only

A4601

Kit sabbia essicata/
Dried sand kit


fura dining table structure light

design Form Us With Love



STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour



8420



98

GROSS WEIGHT:

kg 5,6

KIT LUCE/LIGHT KIT

A4744 kit LED RGB a batteria per interni/esterni bluetooth
bluetooth RGB LED light kit with battery indoor/outdoor

DETAILS:





























Necessita di 1 Kit Luce/
Needs 1 Light Kit

ACCESSORIES:


A4197
Base di stabilizzazione/
Stability base

A4194
Base di stabilizzazione
e fissaggio/
Stability and ground
fixing base

fura dining table structure top

PIANO/TOP	HPL colore base/basic colour		DIMENSIONS:	GROSS WEIGHT:
 70	A4490	  	Cm 69x1 h	Kg 6,2
	A4491	  	Cm 69x1 h	Kg 6
 80	A4494	  	Cm 79x1 h	Kg 8
	A4495	  	Cm 79x1 h	Kg 7,7
 70	A4488	  	Cm 69x69x1 h	Kg 7,8
	A4489	  	Cm 69x69x1 h	Kg 7,4
 80	A4492	  	Cm 79x79x1 h	Kg 10
	A4493	  	Cm 79x79x1 h	Kg 9,6

TESTS (ART. 6420)

Declaration of conformity issued by  with the 80x80 cm top

Conforms to the requirements of resistance, durability and safety, 2nd level EN 15372:2016

Tests carried out as per:
 EN 15372:2016, clause 6
 EN 15372:2016, clause 5.1 - 5.2
 EN 1730:2012, clause 6.2
 EN 1730:2012, clause 6.3
 EN 1730:2012, clause 6.4.2
 EN 1730:2012, clause 6.5
 EN 1730:2012, clause 6.6
 EN 1730:2012, clause 6.9
 EN 1730:2012, clause 7.2 - kg 38

Attention to ensure stability under a vertical pressure, the part must be stabilized according to point 7.2 of EN 1730:2012.

To do this, inert material (es. dried sand) must be poured into the hole at the bottom of the base. The amount of the material will vary according to the article:

art. A4490/A4491 70 cm - kg 15
 art. A4494/A4495 80 cm - kg 18
 art. A4488/A4489 70x70 cm - kg 30

Finally, close the hole by screwing the threaded cap back on.