

fura table

design Form Us With Love



ESTRUCTURA



PE - Polietileno
color básico

6295



PESO BRUTO:

kg 6,7

COMPLEMENTOS:

A4461

Sistema de fijación en el suelo

A4601


Kit de arena seca

fura table light

design Form Us With Love



ESTRUCTURA



PESO BRUTO:

kg 6,7

PE - Polietileno
color básico

8295



98

KIT LUZ

A4364 - Kit LED RGB de batería con enchufe



detalles

Kit LED RGB de batería powered by Smart&Green
Autonomía 6 horas aprox, a la máxima intensidad

Luz: blanca, de color, a rotación

Mando a distancia

Base recarga con enchufe europeo bipolar

LUZ






fura table parte superior

PESO BRUTO:

A4463 kg 4,9
 A4464 kg 4,6
 A4468 kg 6
 A4469 kg 5,7
 A4625 kg 13,2
 A4626 kg 12,4
 A4470 kg 20
 A4471 kg 18,7
 A4604-A4605 kg 5,2

PARTE SUPERIOR




DETALLES:

Necesita dos estructuras para el parte superior
 A4625
 A4626
 A4470
 A4471

HPL color básico



WERZALIT color básico



TESTS

Declaration of conformity issued by **CATAS**
 with the 180x60 cm top

Conforms to the requirements of resistance, durability and safety, 2nd level EN 15372:2016

Tests carried out as per:
 EN 15372:2016, clause 6
 EN 15372:2016, clause 5.1 - 5.2
 EN 1730:2012, clause 6.2
 EN 1730:2012, clause 6.3
 EN 1730:2012, clause 6.4.2
 EN 1730:2012, clause 6.5
 EN 1730:2012, clause 6.6
 EN 1730:2012, clause 7.2

The declaration of conformity and related tests refer only to full-body coloured articles.

Attention to ensure stability under a vertical pressure, the part must be stabilized according to point 7.2 of EN 1730:2012.
 To do this, inert material (es. dried sand) must be poured into the hole at the bottom of the base. The amount of the material will vary according to the article:

art. A4468/A4469 60x60 cm - kg 16
 art. A4625/A4626 120x60 cm - kg 26
 art. A4470/A46471 180x60 cm - kg 20

Finally, close the hole by screwing the threaded cap back on.