

# fura table structure

design Form Us With Love



## ESTRUCTURA



PE - Polietileno  
color básico

6295



## PESO BRUTO:

kg 6,7

## COMPLEMENTOS:

**A4461**

Sistema de fijación en el  
suelo

**A4601**


Kit de arena seca

# fura table structure light

design Form Us With Love



## ESTRUCTURA



PE - Polietileno  
color básico

8295



98

## KIT LUZ

A4744 kit LED RGB de batería para interior/exterior bluetooth

## PESO BRUTO:

kg 6,7

## DETALLES:

Necesaria 1 Kit de iluminación

# fura table structure parte superior

## DETALLES:












Necesita dos estructuras para el parte superior  
**A4626**

## PARTE SUPERIOR

## HPL color básico

## DIMENSIONES:

## PESO BRUTO:

PARTE SUPERIOR	HPL color básico	DIMENSIONES:	PESO BRUTO:
 60	<b>A4463</b>   	Cm 59x1 h	Kg 4,9
	<b>A4464</b>   	Cm 59x1 h	Kg 4,6
 120	<b>A4626</b>   	Cm 120x60x1 h	Kg 12,4

## TESTS (ART. 6295)

**Attention** to ensure stability under a vertical pressure, the part must be stabilized according to point 7.2 of EN 1730:2012.  
To do this, inert material (es. dried sand) must be poured into the hole at the bottom of the base. The amount of the material will vary according to the article:



art. A4626 120x60 cm - kg 26

Finally, close the hole by screwing the threaded cap back on.