

fura table structure

design Form Us With Love



ESTRUCTURA



PE - Polietileno

color básico

6295



C2



L4



M9



87

8295



U1

PESO BRUTO:

kg 6,7

COMPLEMENTOS:

A4461

Sistema de fijación en el suelo

A4601


Kit de arena seca

fura table structure light

design Form Us With Love



ESTRUCTURA



PE - Polietileno
color básico

8295



U1

KIT LUZ

PESO BRUTO:

kg 6,7

DETALLES:

Necesaria 1 Kit de iluminación

A4922 Kit de iluminación sin bombilla interior

A4923 Kit de iluminación sin bombilla exterior

A4744 Kit LED RGB con batería para Bluetooth de interior y exterior

fura table structure parte superior

DETALLES:


Necesita dos
estructuras para el
parte superior
A4935

PARTE SUPERIOR

HPL color básico

DIMENSIONES:

PESO BRUTO:



60

A4926



Cm 59x1 h

Kg 6,7


A4925



Cm 59x1 h

Kg 6,7

color Premium



60

A5040



A5041



Cm 59x1 h

Kg 6,8

A5042



A5043



120

A4935



Cm 120x60x1 h

Kg 12,5

TESTS (ART. 6295)

Declaration of conformity issued by **CATAS**

Conforms to the requirements of resistance,
durability and safety, 2nd level EN 15372:2016

Tests carried out as per:

EN 15372:2016, clause 6
EN 15372:2016, clause 5.1 – 5.2
EN 1730:2012, clause 6.2
EN 1730:2012, clause 6.3
EN 1730:2012, clause 6.4.2
EN 1730:2012, clause 6.5
EN 1730:2012, clause 6.6
EN 1730:2012, clause 7.2

Attention to ensure stability under a
vertical pressure, the part must be
stabilized according to point 7.2 of EN
1730:2012.

To do this, inert material (es. dried
sand) must be poured into the hole at
the bottom of the base. The amount of
the material will vary according to the
article:

art. A4935 120x60 cm – kg 13 + kg 13 = kg
26

Finally, close the hole by screwing the
threaded cap back on.