

fura table structure

design Form Us With Love



ESTRUCTURA

PE - Polietileno

color básico

6295



PESO BRUTO:

kg 6,7

COMPLEMENTOS:

A4461

Sistema de fijación en el suelo

A4601


Kit de arena seca

fura table structure light

design Form Us With Love



ESTRUCTURA



PE - Polietileno
color básico

8295



98

KIT LUZ

PESO BRUTO:

kg 6,7

A4744 kit LED RGB de batería para interior/exterior bluetooth

DETALLES:

Necesaria 1 Kit de iluminación

fura table structure parte superior

DETALLES:

Necesita dos estructuras para el parte superior

A4625
A4626
A4471

PARTE SUPERIOR

.....



60



120



180

HPL color básico

.....

A4463



Cm 59x1 h

Kg 4,9

A4464



Cm 59x1 h

Kg 4,6

A4625



Cm 120x60x1 h

Kg 13,2

A4626



Cm 120x60x1 h

Kg 12,4


A4471



Cm 180x59x1,2 h

Kg 18,7

TESTS (ART. 6295)

.....
Declaration of conformity issued by 
with the 180x60 cm top

Conforms to the requirements of resistance,
durability and safety, 2nd level EN 15372:2016

Tests carried out as per:
EN 15372:2016, clause 6
EN 15372:2016, clause 5.1 - 5.2
EN 1730:2012, clause 6.2
EN 1730:2012, clause 6.3
EN 1730:2012, clause 6.4.2
EN 1730:2012, clause 6.5
EN 1730:2012, clause 6.6
EN 1730:2012, clause 7.2

Attention to ensure stability under a vertical pressure, the part must be stabilized according to point 7.2 of EN 1730:2012.

To do this, inert material (es. dried sand) must be poured into the hole at the bottom of the base. The amount of the material will vary according to the article:

art. A4625/A4626 120x60 cm - kg 26
art. A4471 180x60 cm - kg 20

Finally, close the hole by screwing the threaded cap back on.